



CULVER SCHOOL DISTRICT No. 4

STEFANIE GARBER, SUPERINTENDENT

DAVID SLAGHT, BOARD CHAIRMAN

Healthy and Safe Schools Plan

January 1, 2017

The Culver School District's Healthy and Safe Schools Plan is for all buildings owned or leased by the School District where students and staff are present on a regular basis. An updated Healthy and Safe Schools Plan will be submitted if new buildings are acquired, constructed, or leased or if the plan is modified by the school district. Plans were submitted to the Oregon Department of Education at ODE.schoolfacilities@state.or.us.

1. The person responsible for maintaining and implementing the Healthy and Safe Schools Plan is:

Tony Anderson
Facilities Supervisor
tanderson@culver.k12.or.us
(541) 546-7507
PO Box 259
412 West E Street
Culver, OR 97734

OAR 581-022-2223(5)(a) states that the Healthy and Safe Schools Plan must include the position within the school district's or public charter school's administration responsible for maintaining and implementing the Healthy and Safe Schools Plan.

2. This plan covers the following locations:

Culver High School and Gym
710 Fifth Street
Culver, OR 97734

Culver Middle School and Cafeteria
218 West F Street
Culver, OR 97734

Culver Elementary School
310 West E Street
Culver, OR 97734

District Office
412 West E Street
Culver, OR 97734

Culver School District Transportation Facility
609 West H Street
Culver, OR 97734

Culver School District Athletic Fields
Iris Lane
Culver, OR 97734

OAR 581-022-2223(5)(b) states that the Healthy and Safe Schools Plan must include a list of all facilities that are included in the Healthy and Safe Schools Plan.

3. Radon

The district has developed a radon plan as required by ORS 332.167. Community members can assess a copy of the radon plan here:

www.culver.k12.or.us/departments/operations

Test results will be made public and posted to the district website here:

www.culver.k12.or.us/departments/operations

OAR 581-022-2223(5)(c) states that the Healthy and Safe Schools Plan must include a plan to test for elevated levels of radon as required under ORS 332.167. Note: radon measurement plans from school districts were due to OHA on September 1, 2016.

4. Lead in Drinking Water

The district has developed a lead in drinking water plan. Community members can

access a copy of the plan here: www.culver.k12.or.us/departments/operations Test results will be made public and posted to the district website here:

www.culver.k12.or.us/departments/operations

OAR 581-022-2223(5)(d) states that the Healthy and Safe Schools Plan must include a plan to test for and reduce exposure to lead in water used for drinking or food preparation. If the district, education service district, or public charter school does conduct lead testing of drinking water, an Oregon Health Authority accredited lab must be used for all testing.

5. Lead Paint

To comply with the United States Environmental Protection Agency's Renovation, Repair and Painting Program Rule, the district will only contract with certified lead based paint renovation contractors licensed by the Oregon Construction Contractors Board or utilize district staff that are certified by the Oregon Health Authority to perform the work.

OAR 581-022-2223(5)(e) states that the Healthy and Safe Schools Plan must include a plan to reduce exposure to lead paint that includes the following compliance with the United States Environmental Protection Agency's Renovation, Repair and Painting Program Rule.

The Renovation, Repair and Painting Program Rule requires that individuals and firms conducting renovation, repair and painting projects on pre-1978 homes and "child-occupied facilities" be certified to follow lead-safe work practices. "Child-occupied facilities" is defined in OAR 333-070-0085.

6. Integrated Pest Management (IPM)

The district has adopted an integrated pest management plan as required by ORS 643.700 through 634.750. Community members can assess a copy of the IPM plan here:

www.culver.k12.or.us/departments/operations

OAR 581-022-2223(5)(f) states that the Healthy and Safe Schools Plan must include a plan to implement integrated pest management (IPM) practices as required under ORS 634.700 through 634.750.

7. Communication

The district's communication plan is to make all test results and detailed information explaining the test results available to the public within five business days of receiving the results. Results will be made available by posting the results on the district website, sending notice of the results over the email system, and making the results available in hardcopy at the main administration office.

OAR 581-022-2223(5)(g) states that the Healthy and Safe Schools Plan must include a plan to communicate results for all tests performed in accordance with the Healthy and Safe Schools